

Healthy

Healthy business innovation

General catalogue 2020

business


www.kiy-v.ua

**zumex**[®]
LIFE ESSENCE

innovation

Revolutionising
the world of juice.

www.kiy-v.ua



Hello, healthy future

At Zumex, we believe in a healthier world. We have **over 30 years' experience** in designing and manufacturing juicing solutions. This is a great track record for improving **people's nutritional wellbeing**.



Your strategic partner in developing your juice business



+ 30 years

+ 100 countries

3 lines of business

Foodservice & Retail
Automatic citrus juicers and commercial juicers for the catering, hotel and retail industries.

Vending
Vending solutions for freshly squeezed juice anywhere.

Food Engineering
Customised engineering projects to supply industrial-scale fruit and vegetable juicing solutions.

6 subsidiaries

Spain
Headquarters
France
Deutschland
United Kingdom
North America
México

Zumex is good for you



5 YEAR WARRANTY



GLOBAL COVER



TECHNICAL ASSISTANCE




MADE IN SPAIN

Zumex Service provides **the best warranty and technical assistance with worldwide cover.**

We invest heavily in the design and innovation of our solutions so we can deliver the best freshly squeezed juice.




Our track record has made us world leaders in automatic juicers for food service and retail.



1
Design

2
Innovation



3
Technology



Antibacterial
nanotechnology

Food hygiene certified. Our exclusive silver ion-based antibacterial technology **inhibits the growth** of bacteria, ensuring long-lasting, extra-efficient protection.

ASP®



Rotating system



Accurate, clean cut



Optimal performance

The heart of our juicers has become the core of **our success** and that of our customers.

Our system **provides optimal juice output and premium quality juice**, ensuring no juice comes into contact with the peel thus preventing the essential oils and acid it contains from contaminating it.

Original System®

Experts in citrus, pomegranates and multifruit juices

CITRUS



Juice all your citrus fruit with our extraction kits.




S 1Step Kit 45-67 mm
Limes | Lemons | Oranges

M 1Step Kit 65-81 mm
Lemons | Oranges | Grapefruit

L 1Step Kit 75-95 mm
Lemons | Oranges | Grapefruit

MULTIFRUIT



Juices all fruit and vegetables.



Titanium shredding disc

Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)

POMEGRANATES



Pomegranates S Kit 65-85 mm
Pomegranates

Pomegranates M Kit 75-95 mm
Pomegranates

Zumex has juicing solutions for all types of citrus fruit, pomegranates and multifruit.

Efficiency

Our machines juice the most out of all types of fruit.

Versatility

Check out our broad range of juicing kits. They make your business more versatile, and offer you the best juice, instantly!

Zumex design

Premium design inside and out for maximum efficiency and functionality, so the juicing process flows smoothly from start to finish, from fruit to juice.

Eye-catching lines

Avant-garde lines and finishes, and robust, premium quality materials.




Tritan BPA/BPS free



Materials from another world. Our covers are made out of tritan. This safe, resistant, lightweight material is perfect for food contact requirements and provides transparency in the juicing process.



Our juicers hold the most stringent international certificates for hygienic performance and ease of cleaning, helping you to obtain the HACCP certificate.



Sure of ourselves. We lead the industry and are confident that our products are reliable. That's why we offer an extended five-year warranty.

The winner is... natural, healthy juice

Freshly squeezed juice has established itself as a new category, making it easier for everyone to enjoy fruit in a **simple, healthy and fun way**.



Easy and transparent


From fruit to juice in an instant

Zumex's juicing process preserves all the flavour and nutritional properties of fruit, naturally.

The "Five-a-day Association" recommends drinking **a glass of juice every day** (150-200 ml) together with another **four servings** of a variety of fruit and vegetables.




Evolution of juice category



*European Fruit Juice Association (AIJN) Report.

The concept of **healthy eating** is a **constant** for people and businesses today.



A 100 ml glass of juice provides the recommended daily intake of vitamin C for children aged 4 to 13.

Premium professional juicing solutions



MULTIFRUIT
Multifruit

CITRUS
Soul

Minex

Essential Pro

Versatile Pro

Versatile Pro
Cashless

Speed Pro Basic

Speed Up

Speed S +plus

Countertop
models

All-in-One
models

POMEGRANATES
Speed
Pomegranates

CITRUS
Versatile Pro
All-in-One
Versatile Pro
All-in-One
Cashless

Speed Pro
Cooler

Speed Up
All-in-One

Speed S +plus
All-in-One

Speed S +plus Tank
All-in-One




Juicing solutions for supermarkets, convenience stores, bakeries, hotels, juice bars, cafés, restaurants and a whole range of other businesses looking to add freshly squeezed juice to the options on offer.

MULTIFRUIT


Power to the healthy!

Zumex's iconic commercial juicer is perfectly equipped to work hard and deliver **outstanding performance** in juicing all fruit and vegetables from apples, kiwis and pineapples to carrots, cucumber, celery and ginger.

- ① **EXCELLENT PERFORMANCE**
- ② **24-HOUR, NON-STOP SERVICE**
- ③ **HEAVY-DUTY**
- ④ **FAST AND SILENT**
- ⑤ **NEVER-ENDING AUTONOMY WITH THE NEW COUNTERTOP KIT**



Multifruit is available in **five colours**



More hygienic tap with an improved grip and optimal flow.

The **brushless motor** is more powerful and can be used four times longer than a conventional motor. No friction. No heat release.

The **Speed Control System** maintains a constant speed, delivering extra power when needed.

Lowest energy consumption in its class.

Safety system. The machine stops the disc from turning if the juicer is opened.

Big personality, stylish finishes

Functional pusher
Broad 75 mm opening

TITANIUM
powered by ZUMEX®

Titanium shredding disc
Maximum shredding power and sharper cutting for longer for all fruit and vegetables

Easy Grip tap
with non-slip finish

Two speeds

The speed can be regulated according to the different fruit and vegetables.

SOFT FRUIT
3,500 rpm

HARD FRUIT
4,500 rpm




Efficient **centrifuging** and filtering



Silent block system prevents vibration



Rotating **non-drip tap**



High-capacity built-in waste bucket (13 litres)

Removable drip tray
Improved drip tray design

Technical specs

Fruit	Fruit and vegetables	Power	870 W 1.17 HP
Speed	3,500 rpm 4,500 rpm	Energy consumption	1.8 A
Fruit diameter	Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)	Protection against moisture	IPX1
Dimensions Width Depth Height	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	Safety	One micro switch on handle and one on waste bucket. Safety detection system and thermal overload relay
Net weight	15 kg 33 lb	Sound pressure level	Below 70 dB
Voltage	220-240 V 50-60 Hz 115 V 60 Hz		



See accessories on page 41

SOUL

The most compact juicer on the market

Enjoy the essence of a signature juice with the **new Push&Juice concept**. **Pure design** for venues with soul.

- ① SMALL IN SIZE, **BIG ON PERFORMANCE**
- ② **THE PERFECT JUICE IN 15 SECONDS**
- ③ THE ONLY ONE WITH SOUL
- ④ **360° DESIGN**



Conical System®

The system moves the fruit until it is perfectly centred to ensure clean accurate cutting, **obtaining the maximum amount of juice and flavour** from each piece of fruit.



Conical System®



Type of demand
MODERATE



The revolutionary **Conical System®** ensures accurate, clean cutting.

The new **Push&Juice** concept has an intuitive button that changes colour according to status.

Up&Down high flow, non-drip tap

Built-in waste bucket is easy to remove and clean.

Stylish, avant-garde design in the smallest of spaces



Push&Juice
The natural way to make juice, at the push of a button

All the taste and flavour of a signature juice

The fruit is handled with tender loving care to produce delicious, premium quality juice that is free of essential oils

Technical specs



See accessories on page 41


Fruit	Oranges, lemons and limes	Voltage	220-240 V 50-60 Hz 100-115 V 50-60 Hz
Pieces of fruit per minute	12 pieces of fruit per minute	Power	90 W 0.12 HP 115 W 0.15 HP
Speed	1 serving of juice in 15 seconds	Energy consumption	0.4 A / 1.3 A
Capacity	3 - 4 pieces of fruit	Protection against moisture	IPX0
Fruit diameter	50 - 80 mm (recommended size: 64 - 76 mm)	Sound pressure level	54 dB
Dimensions Width Depth Height	260 x 430 x 435 mm 10.2" x 16.9" x 17.1"	Safety	Micro switch on front opening and motor seizure sensor
Net weight	17 kg 37.5 lb		

Minex

Zumex's eye-catching, mix-and-match juicer

With its **bold, cosmopolitan** design, Minex adds extra colour, zest and style to any bar or café.

- ① **SMALLER FOOTPRINT**
- ② **BIG ON STYLE**
- ③ **NON-DRIP TAP**
- ④ **EASY TO DISASSEMBLE AND CLEAN**
- ⑤ **PUSH BUTTON SYSTEM, FRESHLY SQUEEZED JUICE IN 15 SECONDS**



Chameleon Style. Match your juicer to your premises with a choice of 12 different colours



Digital display and orange counter


Compact and efficient


Original System®


Antibacterial technology


Type of demand
MODERATE

Jug capacity:
750 ml

Twelve colours to match the style of your business



Minex Colour Kits are also available as accessories

Clean, efficient and compact juicing system with **ASP® antibacterial** technology.

Two ways to serve juice with **self-service tap** or **built-in jug**.

Built-in waste bucket

Technical specs

Pieces of fruit per minute	13 pieces of fruit per minute	Power	44 W 0.06 HP
Capacity	6 - 7 pieces of fruit	Energy consumption	0.2 A / 0.45 A
Fruit diameter	65 - 78 mm	Protection against moisture	IPX0
Dimensions Width Depth Height	383 x 368 x 712 mm 15.1" x 14.5" x 28"	Safety	Three safety devices and motor seizure sensor
Net weight	19.5 kg 43 lb	Jug capacity	750 ml (25.3 FL OZ)
Voltage	Multivoltage 220-240 V 50-60 Hz 100-115 V 50-60 Hz		

Essential Pro

The simplicity you need

Ideal for **all types of cafés** or premises where **simplicity** is essentially what matters most.

- ① PRACTICAL SIMPLICITY
- ② TOUCH CONTROL DIGITAL DISPLAY
- ③ 22 ORANGES PER MINUTE
- ④ EASY TO DISASSEMBLE AND CLEAN



Original System®

ASP

Antibacterial technology



Type of demand MEDIUM

Essential Pro is available in **four colours**



Orange

Silver

Graphite

Black

Quick and easy juicing. Manual feeder with capacity for 4-5 pieces of citrus fruit.

Two operating modes

Self-service: the juice is served directly into the glass or jug.


Professional: the juicer starts up automatically when the citrus fruit is placed into the feeder.

Kit S for smaller citrus fruit, such as limes and lemons (45-67 mm).

User-friendly design



Feed and juice



Quality and food hygiene guaranteed



Display digital and orange counter

The **self-service** mode comes with a **non-drip tap** which also has a **special position** for automatic dispensing

Built-in waste buckets
See countertop kit accessory for continuous waste removal

Technical specs



See accessories on page 41

Pieces of fruit per minute	22 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Capacity	4 - 5 pieces of fruit	Power	300 W 0.40 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	Protection against moisture	IPX4
Net weight	45.5 kg 100 lb	Safety	Two safety devices and motor seizure sensor

Versatile Pro

RESTYLING

All-round performance

From fruit to juice, Versatile Pro demonstrates its speed in **restaurants, cafés and hotels with high juice demands**, delivering a 250 ml serving of juice in just ten seconds.

- ① FAST SERVICE
- ② 22 PIECES OF FRUIT PER MINUTE
- ③ TOUCH CONTROL DIGITAL DISPLAY
- ④ PARTIAL AND TOTAL FRUIT COUNTER
- ⑤ EASY TO DISASSEMBLE AND CLEAN



Easy-to-use countertop model

Ultra-smooth, high-capacity **feeder system** (10 kg)

M 1Step Kit
For medium-sized citrus fruit (65-81 mm)

Accessory S 1Step Kit
For smaller citrus fruit, such as limes and lemons (45-67 mm)


Built-in waste buckets
See countertop kit accessory for continuous waste removal



Digital display
Choose operating mode



Change the juicing system in just one simple step



Quality and food hygiene guaranteed



Original System®



Antibacterial technology



Type of demand HIGH

Versatile Pro is available in **four colours**



Two operating modes

Self-service: the juice is served directly into the glass or jug by pressing the tap.

Professional: the juice is served by selecting the exact number of pieces of fruit to be squeezed without having to push the tap. The tap must be in automatic dispensing mode.

Tap comes with Easy Press front push button and a special position for automatic dispensing.

Technical specs



See accessories on page 41

Pieces of fruit per minute	22 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Capacity	10 kg 22 lb	Power	380 W 0.51 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	480 x 550 x 855 mm 18.9" x 21.7" x 33.7"	Protection against moisture	IPX4
Net weight	54 kg 119 lb	Safety	Two safety devices and motor seizure sensor

Versatile Pro All-in-One

The most compact self-service juicer on the market

Its built-in feeder, easy operating mode and footprint of only 0.26 m² make it the ideal, most compact juicer on the market.

RESTYLING

- ① FAST SERVICE
- ② 22 PIECES OF FRUIT PER MINUTE
- ③ TOUCH CONTROL DIGITAL DISPLAY
- ④ EASY TO DISASSEMBLE AND CLEAN
- ⑤ EASY BOTTLE-FILLING SYSTEM



Original System®



ASP
Antibacterial technology



Type of demand
HIGH

Versatile Pro is available in **four colours**



Self-service mode: the juice is served directly into the glass or jug by pressing the tap.

Tap comes with Easy Press front push button.

Thanks to the three interchangeable sizes, **the new bottle holder** adapts seamlessly to any type of bottle neck for easy, simple filling.

The **Waste limit** function helps to monitor the filling level of the waste trolley.

Podium model for retail environments



10 kg high-capacity feeder
Optional safety cover available

M 1Step Kit
For medium-sized citrus fruit (65-81 mm)

S 1Step Kit
For smaller citrus fruit, such as limes and lemons (45-67 mm)

30 cm maximum height for tall bottles

Lightweight, hardwearing, wheeled podium
Built-in trolley holds up to 52 l of waste

Smallest footprint on the market – 0.26 m²


Bottle holder
Easier, quicker and cleaner to fill



Change the juicing system in just one simple step



Bottle holder



Quality and food hygiene guaranteed

Technical specs



See accessories on page 41

Pieces of fruit per minute	22 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Feeder capacity	10 kg 22 lb	Power	380 W 0.51 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	480 x 550 x 1,660 mm 18.9" x 21.7" x 65.3"	Protection against moisture	IPX4
Net weight	87 kg 192 lb	Safety	Two safety devices and motor seizure sensor

Versatile Pro Cashless

Add some zest to your office

Perfect for offices, business centres and self-service areas that would like to offer freshly squeezed juice to employees or customers.

NEW

- ① COMPACT, TOTALLY AUTOMATIC MACHINE
- ② NEW CASHLESS PAYMENT SYSTEM
- ③ USER-FRIENDLY
- ④ SECURITY GUARANTEED



Original System®



Antibacterial technology



Type of demand HIGH

Versatile Pro Cashless is available in **two colours**



Black



Orange

Four different ways to pay, without the need for cash: contactless, chip, magnetic stripe and MIFARE.

The operator can set the exact number of pieces of fruit to be juiced.

Security guaranteed with a password that provides exclusive access to the operator. If the cover or the juice tank is opened, the machine stops serving.

The **Waste limit** function helps to monitor the filling level of the waste trolley.

Two models for the best juice

User-friendly panel with instructions

The user is taken through the steps to be followed during the juicing process

Built-in waste buckets


See countertop kit accessory for continuous waste removal



10 kg high-capacity feeder
Optional safety cover available

M 15Step Kit
For medium-sized citrus fruit (65-81 mm)


S 1Step Kit
For smaller citrus fruit, such as limes and lemons (45-67 mm)



Cashless payment system



Change the juicing system in just one simple step



Quality and food hygiene guaranteed

Lightweight, hardwearing, wheeled podium
Built-in trolley holds up to 52 l of waste

Technical specs



See accessories on page 41

Pieces of fruit per minute	22 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 115 V 60 Hz
Feeder capacity	10 kg 22 lb	Power	380 W 0.51 HP 320 W 0.43 HP
Fruit diameter	65 - 81 mm	Energy consumption	2.7 A
Dimensions Width Depth Height	For individual model sizes, see pages 25-27	Protection against moisture	IPX4
Net weight	For individual model weights, see pages 25-27	Safety	Two safety devices and motor seizure sensor

Speed Up

The freshest results with the coolest style

Ready to transform each juice corner into a truly **Fresh Place**. Speed Up brings a freshly squeezed juice service to your establishment with maximum performance.

- ① HIGH-CAPACITY FEEDER (20 KG)
- ② 40 PIECES OF FRUIT PER MINUTE
- ③ GROUNDBREAKING DESIGN



Two models with superb autonomy

The quietest juicer of all

HACCP Compliant

Quality and food hygiene guaranteed

M Kit
65 - 81 mm

S Kit
45 - 67 mm

L Kit
75 - 95 mm

High-capacity basket (20 kg)

Optional safety cover available

Intelligent Touch digital display

Up tap with bottle holder
33.4 mm
36 mm
38 mm

Drip tray with direct drain to the waste buckets

Resistant, lightweight podium with a capacity of up to 100 litres, available in two finishes and two widths

See page 35 for more information

Speed Up

Speed Up All-in-One



Original System®



Antibacterial technology



Type of demand
VERY HIGH

Speed Up is available in **two colours**



Mirror

Black

Two operating modes

Automatic (Self-service): serves juice directly when the tap is pressed.

Professional: the operator can set the exact number of pieces of fruit to be juiced.

Up tap: easy-clean tap with bottle holder available in 3 sizes.

PulpOut system: triple filtering with automatic conveyor belt to remove the pulp and optimise performance.

Technical specs



See accessories on page 41

Pieces of fruit per minute	40 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Feeder capacity	20 kg 44 lb	Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Fruit diameter	65 - 81 mm	Energy consumption	1.9 A / 2.7 A / 3.5 A
Dimensions Width Depth Height	For individual model sizes, see page 49	Protection against moisture	IPX4
Net weight	For individual model weights, see page 49	Safety	Two safety devices and motor seizure sensor

Speed S ⁺plus

The fastest, most robust juicer

The Speed S ⁺plus solves the **highest juice demands** quickly and easily.

- ① **1STEP KIT:** THE JUICE EXTRACTING KIT CAN BE REMOVED IN 10 SECONDS.
- ② **HIGH-CAPACITY FEEDER (20 KG)**
- ③ **40 PIECES OF FRUIT PER MINUTE**
- ④ **DRAIN&CLEAN** FOR EASIER FEEDER CLEANING





Original System®



Antibacterial technology



Type of demand
VERY HIGH

Speed S ⁺plus is available in **two colours**



Two operating modes
Automatic (Self-service): serves juice directly when the tap is pressed. The Tank model dispenses until the juice reaches the maximum fill level.

Professional: the operator can set the exact number of pieces of fruit to be juiced, and in the Tank model, the filling level volume can also be set.

2Services tap with bottle holder available in three sizes: 34.4 mm, 36 mm and 38 mm.

Three models that adapt to you

Speed S ⁺plus
All-in-One

M 1Step Kit
65 - 81 mm


S 1Step Kit
45 - 67 mm

L 1Step Kit
75 - 95 mm

Two-position tray for serving juice in glasses or bottles, with direct drain to the waste buckets

Resistant, lightweight podium with a capacity of up to 100 litres, available in two finishes and two widths

For further information, see page 35



Speed S ⁺plus
Tank All-in-One

Intelligent Touch digital display

PulpOut System triple filtering with automatic conveyor belt to remove the pulp and optimise performance


Five-litre tank



1Step Kit



The quietest juicer of all



Quality and food hygiene guaranteed

Speed S ⁺plus

Technical specs



See accessories on page 41

Pieces of fruit per minute	40 pieces of fruit per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Feeder capacity	20 kg 44 lb	Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Fruit diameter	65 - 81 mm	Energy consumption	1.9 A / 2.7 A / 3.5 A
Dimensions Width Depth Height	For individual model sizes, see page 50	Protection against moisture	IPX4
Net weight	For individual model weights, see page 50	Safety	Three safety devices and motor seizure sensor

New Speed Programme

①

Choose your juicer: Speed Up o Speed S^{plus}

Check out all the options to adapt Speed to the style you are looking for.

②

Configure the solution that best suits your space

Wide or narrow podium with black or stainless steel finishes.

Give your juice corner an elegant and sophisticated, or robust and simple look.



Choose your podium according to your space and style



Black
Dare to go with the sleekest look



Mirror
Choose the elegance of the shiniest finish



Drip tray



Two-position drip tray, for glasses and bottles

Narrow

70 cm wide

Capacity 45 kg
300 oranges

1 Trolley
55 L - 25 kg

Direct drain to the waste bucket

Optimise every square metre of your premises. Narrower podium

Width | Depth | Height
710 x 626 x 787 mm

Wide

80 cm wide

Capacity 70 kg
500 oranges

2 Trolleys
100 L - 40 kg

Direct drain to the waste bucket

Give your juicer an impressive look

Width | Depth | Height
810 x 626 x 787 mm



Speed Pro Basic

The essence of the best juice

The classic juicer that delivers the best freshly squeezed juice in restaurants and cafés.

- ① FAST, EASY SERVICE
- ② HIGH-CAPACITY FEEDER (20 KG)
- ③ 40 PIECES OF FRUIT PER MINUTE
- ④ INTELLIGENT TOUCH DIGITAL DISPLAY

Two operating modes

Automatic: the juice is served directly into the glass or jug by pressing the START button.

Professional: the operator can set the exact number of pieces of fruit to be juiced.

Simple and easy to use



Original System®




Antibacterial technology



Type of demand VERY HIGH


The spirit of Speed lives on




M Kit
65 - 81 mm

S Kit
45 - 67 mm

L Kit
75 - 95 mm



Quality and food hygiene guaranteed



in its classic versions



Speed Pro Cooler Podium

The freshness of chilled juice

Service areas, supermarkets... a serving of chilled, freshly squeezed juice is a great idea anywhere.

- ① READY TO DRINK, CHILLED, FRESHLY SQUEEZED JUICE
- ② ADJUSTABLE COOLER
- ③ SEVEN-LITRE TANK AND FILL-LEVEL SENSOR
- ④ 40 PIECES OF FRUIT PER MINUTE

Two operating modes

Automatic: the machine dispenses until the juice reaches the maximum fill level.

Professional: the operator can set the fill level.

Easy to move thanks to the wheeled podium



Original System®



Antibacterial technology



Type of demand VERY HIGH

Technical specs



See accessories on page 41

Pieces of fruit per minute	40 pieces of fruit per minute
Feeder capacity	20 kg 44 lb
Fruit diameter	65 - 81 mm
Dimensions Width Depth Height	593 x 584 x 980 mm 23.3" x 23" x 38.6"
Net weight	66.3 kg 146.1 lb

Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Energy consumption	1.9 A / 2.7 A / 3.5 A
Protection against moisture	IPX4
Safety	Three safety devices and motor seizure sensor

Technical specs



See accessories on page 41

Pieces of fruit per minute	40 pieces of fruit per minute
Feeder capacity	20 kg 44 lb
Fruit diameter	65 - 81 mm
Dimensions Width Depth Height	675 x 727 x 1837 mm 26.6" x 28.6" x 72.3"
Net weight	116.1 kg 259.6 lb

Voltage	220-240 V 50-60 Hz 120 V 60 Hz
Power	560 W 0.75 HP
Energy consumption	2.4 A / 4.6 A
Protection against moisture	IPX4
Safety	Three safety devices and motor seizure sensor

Speed Pomegranates

Experts in pomegranates

The first **high-performance** juicer designed specifically for juicing all types of pomegranate.

NEW

- ① **POWERFUL AND ROBUST**
- ② **JUICES ALL TYPES OF POMEGRANATES**
- ③ **IDEAL FOR SERF-SERVICE CONTEXTS**
- ④ **TRIPLE FILTERING TO OBTAIN READY TO DRINK, PREMIUM QUALITY JUICE**
- ⑤ **JUICES POMEGRANATES UP TO 95 MM**



Maximum efficiency for the best pomegranate juice

Excellent autonomy with over 100 kg of non-stop production

30 pieces of fruit per minute

Pulp Cover ensures maximum hygiene



Pomegranates M Kit
Fruit diameter 75-95 mm

Pomegranates S Kit
Fruit diameter 65-85 mm



Quality and food hygiene guaranteed

Juicing system especially designed for pomegranates

TITANIUM
powered by ZUMEX®

The hardwearing titanium blade ensures excellent cutting and durability

Up tap with bottle holder available in three sizes

Lightweight, hardwearing podium. Available in two sizes, with a capacity of up to 100 litres



Original System®



Antibacterial technology



Type of demand VERY HIGH

Automatic PulpOut system: triple filtering with extra large conveyor belt to remove seeds and optimise performance.

High performance motor 0.50 HP to cope with the most demanding juicing needs.

Speed Pomegranates S Kit 65-85 mm.

Speed Pomegranates is available in:



Black

Technical specs



See accessories on page 41

Pieces of fruit per minute	30 pomegranates per minute	Voltage	220-240 V 50-60 Hz 120 V 60 Hz
Feeder capacity	20 kg 44 lb	Power	370 W 0.50 HP
Fruit diameter	75 - 95 mm	Energy consumption	2.3 A / 2.9 A
Dimensions Width Depth Height	For model sizes, see page 51	Protection against moisture	IPX4
Net weight	For model weight, see page 51	Safety	Four safety sensors and motor seizure sensor

Zumex Pack recycled PET

A healthy future for the planet

These new rPET Zumex Pack bottles are made with recycled plastic, thus **reducing their environmental impact**, whilst preserving all of the juice's qualities and flavour.

Because what's good for you has to be good for everyone.



Available in 4 sizes



Preserves the organoleptic properties of the juice

Customise your label
Customise your label to suit the needs of your business.




- ① 30% RECYCLED MATERIAL
- ② REDUCED CARBON FOOTPRINT
- ③ PRESERVES THE **JUICE'S QUALITIES** AND FLAVOUR
- ④ **INHIBITS THE GROWTH OF BACTERIA**

Cap	Threaded cap with security band
Labelling options	No label, paper label or transparent label. Standard or customised design
Cap colours	Black (standard colour), orange and translucent white
Sizes	1l · 50 cl · 33 cl · 25 cl

Accessories

JUICING SYSTEMS



S 1Step Kit

Limes · Lemons · Oranges
45-67 mm

M 1Step Kit*

Lemons · Oranges · Grapefruits
65-81 mm

L 1Step Kit

Lemons · Oranges · Grapefruits
75-95 mm

1Step Kit

For faster and cleaner removal of the juicing system

S, M or L extraction kit. Thanks to this accessory, you can remove the juicing system in just 10 seconds and replace it with the other kit so your juicer is always operational.

*Available as a fast cleaning accessory. It also comes as standard in the following models:

Speed S⁺ / Versatile Pro

Versatile Pro is not compatible with the L 1Step kit



S Kit

For small fruit

Suitable for juicing limes, lemons, mandarins and small oranges (45 mm to 67 mm)

Essential Pro / Speed Pro / Speed Up



M Kit*

For medium-sized fruit

Suitable for processing lemons, oranges and grapefruit (65 mm to 81 mm)

*Comes as standard in the following models:
Essential Pro / Speed Pro / Speed Up



L Kit

For large fruit

Suitable for processing large oranges and grapefruit (75 mm to 95 mm)

Speed Pro / Speed Up



S Pomegranates Kit ^N

Suitable for small pomegranates (65 mm to 85mm)

Speed Pomegranates



Juice extracting unit

Practical spare kit to keep juicing whilst the other juicing kit is being cleaned.

Soul



Dynamic Cutting System (DCS)

Perfect for juicing soft citrus. Easy to insert and remove.

Essential Pro / Speed Pro / Speed Up

OTHER JUICING KITS AND CLEANING PRODUCTS



Filter kit and Multifruit disc ^N

24-hour, non-stop service
Maximum shredding power for all fruit and vegetables and efficient centrifuging with the optimised filter.

^N New



Citric Active ^N

Caring for your juicer
Formulated to remove traces of sugar, wax, pulp and other residues.

PAYMENT SYSTEM



Nayax cashless kit ^N

Payment system compatible with the most common cashless payment methods.

Accessories

JUICE CORNER

Create your own juice corner with these accessories



Bottle rack

Bottle tray

Glass tray



For self-service contexts

Organise your bottles or glasses in a visible and tidy way. Available in the Speed and Versatile Pro ranges.



Two-position drip tray
Perfect service

Two-position drip tray for serving juice in glasses or bottles, with direct drain to the waste bucket.

Accessory for the Black podium



Bottle holder ^N
Highly versatile

Adapts to any type of bottle, thanks to the three interchangeable sizes.

Versatile Pro



Display cabinet
Chill your juice!

So that your bottles of freshly squeezed juice are always chilled and ready to take away.



Bottle rack unit
Organised and at your fingertips
Unit complete with bottle hangers and storage space.

Dimensions Width | Depth | Height
500 x 708,5 x 2029,5 mm
19.7" x 27.9" x 79.9"



Countertop kit
Multifruit

COUNTERTOP KIT

Continuous waste removal

The kit fixes the machine to the counter top, connecting it directly to the waste bucket installed under the counter.



Countertop kit
Speed range



Countertop kit
Essential Pro / Versatile Pro



ELEVATION KITS



Elevation kit
Essential Pro / Versatile Pro



Elevation kit
Soul



That extra something special with soul
Soul corner

New elevation accessory with built-in premium basket and tray to give your juice corner that extra something special.



Premium basket
12 kg capacity



Soul Corner
Soul

SAFETY AND FOOD HYGIENE ACCESSORIES

Limit access to the operation of your Speed juicer and make your self-service corner a safer and more hygienic place.



Basket cover
This accessory only includes the top basket cover.



Versatile Pro basket cover ^N
This accessory only includes the top basket cover.



Feeder elbow cover
Available in sizes M and L.



Pulp Cover Kit
Cover to hide the pulp area.



Speed display cover ^N
Cover to prevent access to the display in self-service contexts.

PODIUMS

Speed range

Versatile Pro



Wide Black

Narrow Black



Wide Mirror

Narrow Mirror



See technical specifications on page 35

Freshly squeezed juice

It is always a good time to enjoy freshly squeezed orange juice. Thanks to our **Healthy to go concept**, you can **enjoy freshly squeezed juice anywhere**.



Our juice vending machines can transform a dull corner into a fresher, more natural space. Companies, schools, shopping centres, hospitals and gyms are perfect environments to offer their customers and employees a healthier option.



Natural Vending

Healthy to go

Natural Vending is the perfect solution for a healthy lifestyle, 24 hours a day.

It comes with a **larger window** that showcases the juicing process and the freshness of the fruit, making it appealing to customers.

- ① NEW **HEALTHY SNACK CONCEPT**
- ② 100% **NATURAL FRESHLY SQUEEZED JUICE**
- ③ NEW **TELEMETRY KIT: GIVES YOU A REAL-TIME OVERVIEW OF YOUR MACHINE'S PERFORMANCE**
- ④ **NEW CASHLESS PAYMENT SYSTEM COMPATIBLE WITH THE MOST COMMON PAYMENT METHODS**



Three models, maximum transparency

Excellent capacity
can store up to 50 kg of fruit



Three models available
1 window
2 windows
Large window

Customisable
Choose your telemetry system, your cashless payment system and customise the backlit front

Manual cleaning with a spray gun or programmed cleaning by choosing the start time or after a specific number of juices have been served



New cashless payment system



Telemetry system



Maintains a constant temperature



100 kg waste bucket with wheels

Capacity
110 - 120 servings

Different cup sizes available

Original System®

Zumex's Original System® ensures that **no juice comes into contact with the peel**, offering premium quality juice with a great taste.



Original System®



Antibacterial technology

Cashless payment system compatible with contactless, NFC, magnetic stripe and chip methods: Nayax, Ingenico and OTI.
Traditional payment systems: MEI, NRI.

Telemetry kit: this kit gives you a real-time overview of your machine's performance and provides you with in-depth control of your business.

The cup filling system can be programmed:
Number of oranges per serving.
Smart cup filling system with two juice filling modes (normal or extra).

Technical specs

Number of servings	110 - 120 servings	Dimensions	950 x 790 x 1830 mm
Serving time	20 - 50 seconds	Width Depth Height	37.4" x 31.1" x 72"
Serving volume	Can be regulated to 170 ml or 190 ml	Net weight	260 kg 573 lb
Storage capacity	50 kg 110 lb	Voltage	220 V 60 Hz 230 V 50 Hz
Juice temperature	Can be regulated 7 - 16°C	Power	1450 W 1.94 HP
Refrigeration system	R134 gas (does not damage the ozone layer)	Energy consumption	6.6 A

Technical Summary



Multifruit

Soul

Minex

Essential Pro

Versatile Pro

Versatile Pro Cashless

Speed Up

Speed Up All-in-One

Fruit	Fruit and vegetables	Citrus	Citrus	Citrus	Citrus	Citrus	Citrus	Citrus
Pieces of fruit per minute / output	120 kg/h - 1.8 l/min 264 ½ lb/hr - ½ gal/min	12 pieces of fruit per minute	13 pieces of fruit per minute	22 pieces of fruit per minute	22 pieces of fruit per minute	22 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute
Feeder capacity	-	3 - 4 pieces of fruit	6 - 7 pieces of fruit	4 - 5 pieces of fruit	10 kg 22 lb	10 kg 22 lb	20 kg 44 lb	20 kg 44 lb
Fruit diameter	Up to 75 mm (larger fruit and vegetables will need to be chopped into smaller pieces)	50 - 80 mm (recommended 64 - 76 mm)	65 - 78 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm
Juicing system	Centrifugal juicer	Conical System®	Original System® and ASP®	Original System® and ASP®	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP®	Original System® and ASP®
Compatible juicing kits	-	-	-	S Kit, M Kit	S and M 1Step Kit	S and M 1Step Kit	S, M and L Kit	S, M and L Kit
Dimensions Width Depth Height	290 x 500 x 510 mm 11.4" x 19.7" x 20.1"	260 x 430 x 435 mm 10.2" x 16.9" x 17.1"	383 x 368 x 712 mm 15.1" x 14.5" x 28"	470 x 500 x 750 mm 18.5" x 19.7" x 29.5"	Versatile Pro 480 x 550 x 855 mm 18.9" x 21.7" x 33.7" Versatile Pro All-in-One 480 x 550 x 1660 mm 18.9" x 21.7" x 65.3"	Versatile Pro Cashless 480 x 550 x 855 mm 18.9" x 21.7" x 33.7" Versatile Pro All-in-One Cashless 480 x 550 x 1660 mm 18.9" x 21.7" x 65.3"	593 x 624 x 1050 mm 23.3" x 24.6" x 41.3"	1 Narrow Black 710 x 682 x 1775 mm 28" x 26.8" x 69.9" Wide Black 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"
Net weight	15 kg 33 lb	17 kg 37.5 lb	19.5 kg 43 lb	45.5 kg 100 lb	Versatile Pro 54 kg 119 lb Versatile Pro All-in-One 87 kg 192 lb	Versatile Pro Cashless 54 kg 119 lb Versatile Pro All-in-One Cashless 87 kg 192 lb	76.7 kg 169.2 lb	*Narrow Black 129.1 kg 284.7 lb Wide Black 133 kg 293.3 lb
Voltage	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 100-115 V 50-60 Hz	Multivoltage 220-240 V 50-60 Hz 100-115 V 50-60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 115 V 60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz
Power	870 W 1.17 HP	90 W 0.12 HP 115 W 0.15 HP	44 W 0.06 HP	300 W 0.40 HP 320 W 0.43 HP	380 W 0.51 HP 320 W 0.43 HP	380 W 0.50 HP 320 W 0.43 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP
Energy consumption	1.8 A	0.4 A / 1.3 A	0.2 A / 0.45 A	2.7 A	2.7 A	2.7 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A
Protection against moisture	IPX1	IPX0	IPX0	IPX4	IPX4	IPX4	IPX4	IPX4
Safety	One micro switch on handle and one on waste bucket. Safety detection system and thermal overload relay	Micro switch on front opening and motor seizure sensor	Three safety sensors and motor seizure sensor	Two safety devices and motor seizure sensor	Two safety devices and motor seizure sensor	Two safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor
Sound pressure level	Below 70 dB	54 dB	-	-	-	-	-	-
Colours	5 colours	-	12 colours	4 colours	4 colours	4 colours	-	Black or Mirror podium

¹ Measurements for the Mirror model are the same as the **Speed S *plus All-in-One**.

*Net weight may vary depending on the podium model selected for each juicer.

Technical Summary



Speed S +plus



Speed S +plus
All-in-One



Speed S +plus
Tank All-in-One



Speed Pro
Basic



Speed Pro
Cooler Podium



Speed
Pomegranates



Natural Vending







Fruit	Citrus	Citrus	Citrus	Citrus	Citrus	Pomegranates	Citrus	
Pieces of fruit per minute / output	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	40 pieces of fruit per minute	30 pomegranates per minute	
Feeder capacity / Storage capacity	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	20 kg 44 lb	
Fruit diameter	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	65 - 81 mm	75 - 95 mm	
Juicing system	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP® with 1Step Kit	Original System® and ASP®	Original System® and ASP®	Original System® and ASP®	
Compatible juicing kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L 1Step kits	S, M and L Kit	S, M and L Kit	S Speed Pomegranates Kit and M Speed Pomegranates Kit	
Dimensions								
Width Depth Height	593 x 665 x 1050 mm 23.3" x 26.2" x 41.3"	2 Narrow Mirror 700 x 709 x 1774 mm 27.5" x 27.9" x 69.8" Wide Mirror 805 x 709 x 1774 mm 31.7" x 27.9" x 69.8"	675 x 699 x 1755 mm 26.6" x 26.3" x 69.1"	675 x 699 x 1755 mm 26.6" x 26.3" x 69.1"	593 x 584 x 980 mm 23.3" x 23" x 38.6"	675 x 727 x 1837 mm 26.6" x 28.7" x 72.3"	710 x 682 x 1775 mm 28 x 26.8 x 69.9 Wide Black 810 x 682 x 1775 mm 31.9" x 26.8" x 69.9"	950 x 790 x 1830 mm 37.4" x 31.1" x 72"
Net weight	83.5 kg 184.1 lb	*Narrow Mirror 111.8 kg 246.5 lb Wide Mirror 120.6 kg 266 lb	110.1 kg 242.8 lb	110.1 kg 242.8 lb	66.3 kg 146.1 lb	116.1 kg 259.6 lb	131.1 kg 289 lb Wide Black 135 kg 297.6 lb	260 kg 573 lb
Voltage	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz 100 V 50-60 Hz	220-240 V 50-60 Hz 120 V 60 Hz	220-240 V 50-60 Hz 120 V 60 Hz	220 V 60 Hz 230 V 50 Hz
Power	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	460 W 0.62 HP 320 W 0.43 HP 350 W 0.47 HP	560 W 0.75 HP	370 W 0.50 HP	1450 W 1.94 HP
Energy consumption	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	1.9 A / 2.7 A / 3.5 A	2.4 A / 4.6 A	2.3 A / 2.9 A	6.6 A
Protection against moisture	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	IPX4	-
Safety	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Three safety devices and motor seizure sensor	Four safety sensors and motor seizure sensor	-
Colours	-	Black or Mirror podium	-	-	-	-	-	-
Number of servings	-	-	-	-	-	-	-	110 - 120 servings
Serving volume	-	-	-	-	-	-	-	Can be regulated to 170 or 190 ml
Juice temperature	-	-	-	-	-	-	-	Can be regulated 7°C - 16°C
Refrigeration system	-	-	-	-	-	-	-	R134 gas (does not damage the ozone layer)





² Measurements for the Black model are the same as for the **Speed Up All-in-One**.

*Net weight may vary depending on the podium model selected for each juicer.

Foodservice & Retail

AUTOMATIC CITRUS JUICERS AND COMMERCIAL JUICERS

	Soul	Reference 05600	Model Soul	Configuration UE-ES	
	Multifruit	Reference 09875	Model Multifruit	Colour Silver Black White Cherry Graphite	Configuration UE UE UE UE UE
	Minex	Reference 04917	Model Minex	Colour White Ruby red Green Blue Metallic Silver Metallic Graphite Metallic Bronze Black Orange Light green Light blue Grey	Configuration UE UE UE UE UE UE UE UE UE UE UE UE
	Essential Pro	Reference 04873	Model Essential Pro	Colour Orange Silver Graphite Black N	Configuration UE UE UE UE
	Versatile Pro	Reference 09965 09966 09968	Model Versatile Pro Versatile Pro All-in-One Versatile Pro All-in-One (BH)* N *Bottle Holder	Colour Orange Silver Graphite Black N Orange Silver Graphite Black N Orange Silver Graphite Black N	Configuration UE UE UE UE UE UE UE UE UE UE UE UE
	Versatile Pro Cashless	Reference 10012 10011	Model Versatile Pro Cashless N Versatile Pro All-in-One Cashless N	Colour Black Orange Black Orange	Configuration UE UE UE UE


	Speed Pro	Reference 04837 05078	Model Speed Pro Basic Speed Pro Cooler Podium	Configuration UE UE	
	Speed Up	Reference 08576 08818 08820 08821 08822	Model Speed Up Speed Up All-in-One Wide Speed Up All-in-One Wide Speed Up All-in-One Narrow Speed Up All-in-One Narrow	Colour Black Mirror Black Mirror	Configuration UE UE UE UE UE
	Speed S+plus	Reference 08825 08826 08827 08828 08829 08842	Model Speed S+plus Speed S+plus All-in-One Wide Speed S+plus All-in-One Wide Speed S+plus All-in-One Narrow Speed S+plus All-in-One Narrow Speed S+plus Tank All-in-One	Colour Mirror Black Mirror Black	Configuration UE UE UE UE UE UE
	Speed Pomegranates	Reference 10007 10013	Model Speed Pomegranates All-in-One Wide N Speed Pomegranates All-in-One Narrow N	Colour Black Black	Configuration UE UE


Foodservice & Retail ACCESSORIES


	Juicing systems	Reference 10014 08220 10006 05471 05742 07930 07942 07943 06672 00536	Model Essential Pro S Kit Versatile Pro 1Step Kit Versatile Pro S 1Step Kit Speed Pro / Speed Up S Kit Speed Pro / Speed Up L Kit Speed S+plus 1Step Kit Speed S+plus S 1Step Kit Speed S+plus L 1Step Kit Soul juicing system Dynamic Cutting System	
	Countertop kit	Reference 04825 05414 05909 06952 05230 06995 06996 06953	Model Essential Pro / Versatile Pro Countertop Kit Speed Pro Countertop Kit Speed Up / Speed S+plus Countertop Kit Multifruit Countertop Kit Essential Pro / Versatile Pro Elevation Kit Soul Elevation Kit and Drip Tray Soul Corner Premium Basket	Colour Orange Silver Graphite Black N


Foodservice & Retail


Foodservice & Retail ACCESSORIES


Protection and hygiene accessories	Reference	Model
	08830	Speed M Elbow Cover Kit
	08831	Speed L Elbow Cover Kit
	08832	Speed Basket Cover
	10010	Versatile Pro Basket Cover N
	08613	Speed Up / Speed S +plus Pulp Cover Kit
	09960	Speed Display Cover N

Juice point of sale	Reference	Model
	04733	Versatile Bottle Rack (includes 3 trays)
	04732	Speed Up / Speed S +plus Bottle Rack (includes 3 trays)
	04727	Bottle Tray
	04728	Glass Tray
	08865	Two-position tray (Black podium)
	04897	Small Display Cabinet
	04901	Large Display Cabinet
	08794	Bottle Rack Unit
	09967	Versatile Bottle Holder

Podium	Reference	Model	Colour
	04904	Versatile Pro Podium	Orange Silver Graphite Black N
	08814 08580 08815 08816	Speed Up / Speed S +plus Wide Podium Speed Up / Speed S +plus Wide Podium Speed Up / Speed S +plus Narrow Podium Speed Up / Speed S +plus Narrow Podium	Mirror Black Mirror Black


Minex Colours	Reference	Model	Colour
	04919	Minex Colour Kit	White Ruby Red Green Blue Silver Graphite Bronze Black Orange Light Green Light Blue Grey

Cleaning	Reference	Model
	10009	Filter Kit and Multifruit Disc N
	09853	Citric Active/Bottle* N * Minimum purchase: Pack 6 bottles.

Payment systems	Reference	Model
	08467	Nayax Cashless Kit N


Zumex Pack

CUSTOMISABLE SUSTAINABLE BOTTLES


Zumex Pack recycled PET	Reference	Model
	08955	Zumex Pack recycled PET 25 cl no label
	08956	Zumex Pack recycled PET 33 cl no label
	08957	Zumex Pack recycled PET 50 cl no label
	08958	Zumex Pack recycled PET 1 l no label
	08959	Zumex Pack recycled PET 25 cl with Zumex label
	08960	Zumex Pack recycled PET 33 cl with Zumex label
	08962	Zumex Pack recycled PET 50 cl with Zumex label
	08963	Zumex Pack recycled PET 1 l with Zumex label

Vending

FRESHLY SQUEEZED JUICE VENDING MACHINES




Vending	Reference	Model	Configuration
	04823	Zumex Vending V.2 (1 Window)	1V-UE
	04823	Zumex Vending V.2 (2 Windows)	2V-UE
	04823	Zumex Vending VG (Large window) N	VG-UE

ACCESSORIES Vending

Vending	Reference	Model
	08597	Telemetry Kit N
	02751	Translucent cup 180 ml (Box 3000 units)
	00451	Cleaning System Kit
		Coin Payment System (€)
		Note Payment System (€)
	08909	Nayax Cashless Kit N

zumex
.com

www.kiy-v.ua





Zumex Group | Headquarters

Polígono Ind. Moncada III
C/ Molí, 2 46113 Moncada, Valencia, Spain
Tel. +34 961 301 251
zumex@zumex.com

Zumex North America

1573 NW 82nd Ave, Miami, FL 33126 USA
Tel. +1 305 591 0061
Technical Assistance:
1-877-ZUMEX-TA (+1 877 986 3982)
zumexusa@zumex.com

Zumex UK

3 More London Riverside
SE1 2RE London, United Kingdom
Tel. +44 20 3519 1292
zumexuk@zumex.com

Zumex México

Uxmal 616, Colonia Vértiz Narvarte
Delegación Benito Juárez
CP 03600 Ciudad de México, México
Tel. +52 (55) 5212-0619
zumexmexico@zumex.com

Zumex France

45 rue de Villeneuve
94573 Rungis Cedex, Paris, France
Tel. +33 9 75 18 73 54
zumexfrance@zumex.com

Zumex Deutschland

Elisabethstraße 11
40217 Düsseldorf - Deutschland
Tel. +49 211 418 73351
zumexdeutschland@zumex.com

Our products comply with the quality standards applicable to each market.